




Products Catalogue.

BRAND CATALOGUE 2026.01

GCC Edition



INTRODUCING BERGO ORA

4 Years • 5 Countries

WHO WE ARE

BERGO PRO UK Limited is a British company specialising in building materials, with regional headquarters, BERGO PRO Building Materials Trading LLC, located in Dubai Industrial City (DIC), UAE.

A key player in the Gulf Cooperation Council (GCC) region, **BERGO PRO** is dedicated to delivering innovative B2B solutions tailored specifically to the needs of the furniture manufacturing, flooring and WPC markets including the **UAE, Qatar, Oman, Saudi Arabia, and Bahrain.**

MISSION & VISION

What sets BERGO PRO apart is our commitment to a demand-driven business model that focuses on initiative-taking research and development (R&D). This approach allows us to continuously introduce innovative products that grant our customers a competitive edge.

Moreover, our clearly defined strategy prioritises market-oriented solutions over conventional manufacturing methods, enabling us to address the specific architectural and furniture requirements of the GCC region.

Operating from our headquarters in Dubai, BERGO PRO manages dedicated teams across the GCC to ensure seamless service delivery. As we aim to expand our footprint into other Middle Eastern and North African (MENA) markets, we are actively seeking manufacturing partners and distributors to complement our existing relationships with direct customers.

Our vigilant monitoring of industry trends and emerging technologies ensures that we remain at the forefront of innovation, thus driving commercial success for all stakeholders involved. The GCC represents a wealth of opportunities, and we foresee robust growth potential as we reinforce our presence in this dynamic market.

CONTEMPORARY FLOORING SOLUTIONS


ORA is BERGO's flooring platform, developed to encompass all current and future flooring products under a single, coherent system identity. Rather than being limited to one flooring type, ORA provides a flexible framework that allows multiple flooring solutions to coexist while maintaining consistency in positioning and application.

ORA is positioned as a complementary system, extending BERGO beyond furniture fittings without redefining the brand's core focus.

What Ora Does

ORA defines how flooring is specified and presented within contemporary interior environments. It provides a unified platform for flooring solutions that align visually and functionally with modern furniture and interior design.

All BERGO subbrands,
together online



Explore our complete collection
on our website at www.bergopro.com

Regional Offices:
Warehouse L12, Phase 1, Dubai Industrial City, Dubai, UAE
☎ +971 4 564 2460 (landline) / 📞 +971 56 539 2001 (Mobile)
info@bergopro.com
www.bergopro.com

For International Enquiries:
info@bergopro.co.uk
www.bergopro.co.uk

Table of Contents

Stone	07
S361 Old Silver Stone	09
S362 Dove Grey Stone	09
S363 Dark Steel Stone	09
S364 Soft Khaki Stone	09
S365 Desert Sand Stone	10
S366 Taupe Grey Stone	10
Herringbone	11
H023 Honey Fairfax Oak	13
H066 Brown Fairfax Oak	13
H213 Copper Fairfax Oak	13
H361 Ivory Brushed Oak	13
H515 Sand Fairfax Oak	14
H616 Gold Fairfax Oak	14
H622 Silver Fairfax Oak	14
H645 Black Fairfax Oak	14
H651 Natural Fairfax Oak	14
H654 Bronze Fairfax Oak	14
H702 Warm Desert Oak	15
H936 Dark Walnut Oak	15
Straight	17
C023 Honey Fairfax Oak	19
C066 Brown Fairfax Oak	19
C112 Light Brown Oak	19
C113 Natural Desert Oak	19
C218 Ash Grey Oak	20
C361 Ivory Brushed Oak	20
C3654 Bronze Fairfax Oak	20
C381 Woodland Taupe Oak	20
C387 Phantom Grey Oak	20
C389 Light Teak Oak	20
C511 Natural Country Oak	21
C515 Modern French Oak	21
C622 Silver Fairfax Oak	21
C626 Dark Brown Oak	21
C645 Black Fairfax Oak	21
C654 Washed Grey Oak	21
C657 Soft Nutmeg Oak	22
C702 Warm Desert Oak	22
C704 French Summer Oak	22
C812 Shadow Studio Oak	22
C936 Dark Walnut Oak	22



Stone

09	S361 Old Silver Stone
09	S362 Dove Grey Stone
09	S363 Dark Steel Stone
09	S364 Soft Khaki Stone
10	S365 Desert Sand Stone
10	S366 Taupe Grey Stone

Dimensions (mm):	Length x Width: 600 x 308 Thickness: 5
Feel:	Dense & Rigid Underfoot Comfort
Pattern:	Stone Look
Use:	Residential Commerical
Maintenance:	Low
Durability:	★★★★☆
Moisture Resistance:	100%



S361
Old Silver Stone



S362
Dove Grey Stone



S363
Dark Steel Stone



S364
Soft Khaki Stone



S365
Desert Sand Stone



S366
Taupe Grey Stone

Herringbone

13	H023 Honey Fairfax Oak
13	H066 Brown Fairfax Oak
13	H213 Copper Fairfax Oak
13	H361 Ivory Brushed Oak
14	H515 Sand Fairfax Oak
14	H616 Gold Fairfax Oak
14	H622 Silver Fairfax Oak
14	H645 Black Fairfax Oak
14	H651 Natural Fairfax Oak
14	H654 Bronze Fairfax Oak
15	H702 Warm Desert Oak
15	H936 Dark Walnut Oak


Dimensions (mm):	Length x Width: 635 x 127 Thickness: 5.5 (incl. underlay)
Feel:	Dense & Rigid Underfoot Comfort
Pattern:	Wood Look
Use:	Residential Commerical
Maintenance:	Low
Durability:	★★★★☆
Moisture Resistance:	100%



H023
Honey Fairfax Oak




H066
Brown Fairfax Oak



H213
Copper Fairfax Oak



H361
Ivory Brushed Oak



H515
Sand Fairfax Oak



H616
Gold Fairfax Oak



H622
Silver Fairfax Oak



H645
Black Faifax Oak



H651
Natural Fairfax Oak



H654
Bronze Fairfax Oak



H702
Warm Desert Oak



H936
Dark Walnut Oak



Straight

19	C023 Honey Fairfax Oak
19	C066 Brown Fairfax Oak
19	C112 Light Brown Oak
19	C113 Natural Desert Oak
20	C218 Ash Grey Oak
20	C361 Ivory Brushed Oak
20	C3654 Bronze Fairfax Oak
20	C381 Woodland Taupe Oak
20	C387 Phantom Grey Oak
20	C389 Light Teak Oak
21	C511 Natural Country Oak
21	C515 Modern French Oak
21	C622 Silver Fairfax Oak
21	C626 Dark Brown Oak
21	C645 Black Fairfax Oak
21	C654 Washed Grey Oak
22	C657 Soft Nutmeg Oak
22	C702 Warm Desert Oak
22	C704 French Summer Oak
22	C812 Shadow Studio Oak
22	C936 Dark Walnut Oak

Dimensions (mm):	Length x Width: 1520 x 228 Thickness: 5.5
Feel:	Dense & Rigid Underfoot Comfort
Pattern:	Wood Look
Use:	Residential Commerical
Maintenance:	Low
Durability:	★★★★☆
Moisture Resistance:	100%



C218
Ash Grey Oak



C361
Ivory Brushed Oak



C023
Honey Fairfax Oak



C066
Brown Fairfax Oak



C3654
Bronze Fairfax Oak



C381
Woodland Taupe Oak



C112
Light Brown Oak



C113
Natural Desert Oak



C387
Phantom Grey Oak



C389
Light Teak Oak



C511
Natural Country Oak



C515
Modern French Oak



C657
Soft Nutmeg Oak



C702
Warm Desert Oak



C622
Silver Fairfax Oak



C626
Dark Brown Oak



C704
French Summer Oak



C812
Shadow Studio Oak



H645
Black Fairfax Oak



C654
Washed Grey Oak



C936
Dark Walnut Oak

TECHNICAL DATA

Ora by Bergo R-LVT is stylish, versatile and easy to install. With an authentic range of textured wood grains and stones, there's a perfect fit for every space. A rare opportunity to simplify your life while at the same time elevating it. With its advanced rigid core technology, Ora R-LVT is a luxury vinyl that combines limestone and plasticizers to create an extremely durable core.



More than being 100% water proof, this flooring adds stability, dent resistance and structure to vinyl plank flooring. With Ora R-LVT you are choosing customized design services bringing energy and flow to your space.

SURFACE PROTECTION
Resistant to both scratches and stains. Waterproof and engineered to perfection. Tried and tested. Provides hygienic, durable protection. Easy to clean. perfection.

WEAR LAYER
Resistant to everyday wear and tear, this extends the life of the invest.

HIGH DEFINITION FILM
Various patterns offer an extensive collection from which to choose. Undeniable sturdiness underfoot.

RIGID CORE
Our waterproof rigid core technology allows easy installation over imperfect subfloors, elevating resilience and comfort. High dimensional stability.

ACOUSTIC UNDERLAY
Provides better sound absorption and an excellent underfoot feeling.

GENERAL PRODUCT STRUCTURE
Construction: Multi-layer Rigid LVT with rigid core and acoustic IXPE underlay
Bevel: 4-sided bevel (all ranges)
Wear Layer: 0.55 mm
Core Thickness: Approx. 3.45–3.95 mm
Total Thickness: 5.0–5.5 mm
Underlay: IXPE acoustic, 1 mm
Surface Protection: Scratch-resistant, stain-resistant, waterproof.

DIMENSIONS
Herringbone: 635 × 127 mm
Stone: 308 × 600 mm
Straight Plank: 228 × 1520 mm

USAGE CLASSIFICATION
Residential & Commercial: Class 33 (Heavy commercial)
Stone offers extended marking 33/42.

TECHNICAL PERFORMANCE

Wear Resistance:	Stone: >2000 cycles Herringbone & Straight: > 4500 cycles
Residual Indentation:	≤ 0.10–0.15 mm
Dimensional stability:	≤ 0.10% (all ranges)
Slip Resistance:	R10 (DIN 51130) DS >0.37 (EN 13893 when applicable)
Stain Resistance:	Groups 1–3, Grade 5
UV Resistance:	≥ Grade 6
Fire Classification:	Bfl-S1
Castor Resistance:	All ranges pass ISO 4918 (up to 25,000 cycles)
Impact Sound Reduction:	18–21 dB depending on range
Thermal Resistance:	0.030–0.059 m².K/W
Lock Strength/System:	Stone > 0.85 kN/m Herringbone: 5Gi > 4kN/m Straight: i4F> 4kN/m

INSTALLATION & HEATING COMPATIBILITY
Suitable for underfloor heating*, with a maximum floor temperature of 27°C
Rigid core allows installation over imperfect subfloors
*Stone Not suitable for heating films

ENVIRONMENTAL & INDOOR AIR QUALITY

Formaldehyde Class: E1
VOC Emission Class: A+ (ISO 16000-9)
TVOC 28 Days: Stone: ≤17 µg/m³
Herringbone: <20 µg/m³
Straight: <20 µg/m³

REACH Compliance: Conform to 1907/2006/CE

Plasticizers: DOTP – Virgin PVC, 100% ortho-phthalate free

Recyclability: 100%

WARRANTY
Residential: 25 years
Commercial: 5–10 years (depending on range)

Contemporary Flooring Solutions with **Ora**



Get in touch **with us.**

Regional Offices:

Warehouse L12, Phase 1, Dubai Industrial City, Dubai, UAE

☎ +971 4 564 2460 (landline) / 📞 +971 56 539 2001 (Mobile)

info@bergopro.com

www.bergopro.com

For International Enquiries:

info@bergopro.co.uk

www.bergopro.co.uk

Photographs and images in the catalogue
will differ slightly from the actual items.

**For exact colours, grains, and textures,
kindly contact us for samples.**

BERGO® 